

S & G WOOLDRIDGE Ltd

Precision, General and Agricultural Engineers

Telephone:
(01206) 230488
Facsimile:
(01206) 230989



Rookery Farm
Ardleigh
Colchester
Essex
CO7 7LH

Internet: <http://www.sgwooldridge.ukonline.co.uk>

Email: arwooldridge4@o2.co.uk

GRAIN THROWERS

Portable high capacity units. Capacity to 120 Tonnes per hour



60 tph model illustrated

Specifications: Portable Grain Throwers

Capacity tonnes per hour	12	20	40	60	75	120
Approx weight	discontinued	dicontinued	130 kg	160 kg	190kg	350 kg
Length with out handle	-	-	1150 mm	1275 mm	1275	1325 mm
Width	-	-	690 mm	690 mm	850	1070 mm
Hopper ht.	-	-	610 mm	610 mm	610	610 mm
Drive	-	-	Pulley	Pulley	Pulley	Pulley
Motor Kw	-	-	4 & 1.1	5.5 & 1.5	7.5&2.2	15 & 1.5 & 1.5
Wheels	-	-	350x75mm	350x75mm	350x75	350x75mm
Max ht of throw	-	-	4.5 Mtr	4.5 Mtr	4.5	4.5 Mtr
Length of throw	-	-	12 Mtr	12 Mtr	12 Mtr	12 Mtr
Angle adjustment	Varying angle discharge plates					

In addition to the above portable units, fixed angle, and swivelling throwers are available to mount on augers or conveyors. Capacity 40 and 60 TPH. 4 and 5.5kW . Size 750mm deep x 600mm wide x 600mm long.

Experts perfect them, connoisseurs select them

S & G WOOLDRIDGE Ltd

Precision, General and Agricultural Engineers

Telephone:
(01206) 230488
Facsimile:
(01206) 230989



Rookery Farm
Ardleigh
Colchester
Essex
CO7 7LH

Internet: [http:// www.sgwooldridge.ukonline.co.uk](http://www.sgwooldridge.ukonline.co.uk)

Email: arwooldridge4@o2.co.uk

AUGERS

Auger design and manufacturing for Agriculture and Industry



8" Auger with swivelling thrower head . 60-80 TPH.

Based on the expertise of the Ardleigh Swift team of design and assembly engineers

Years of experience in the following areas:-

- Angled augers
- Collecting augers
- Feed augers
- Levelling augers (for barn or bin filling)
- Metering augers
- Muck augers
- Swivel thrower augers
- Throwing augers
- U-trough augers

Proven and reliable Auger systems

Experts perfect them, connoisseurs select them

S & G WOOLDRIDGE Ltd

Precision, General and Agricultural Engineers

Telephone:
(01206) 230488
Facsimile:
(01206) 230989




Rookery Farm
Ardleigh
Colchester
Essex
CO7 7LH

Internet: [http:// www.sgwooldridge.ukonline.co.uk](http://www.sgwooldridge.ukonline.co.uk)

Email: : arwooldridge4@o2.co.uk

YARD SCRAPER

Made from giant 24" 42 ply half tyre sections



Heavy duty steel frame construction (optional galvanising on frame)

Easily fitted to tractor rear three point linkage

Push or pull operation

Width options 6ft, 6ft 6in and 7ft as standard (7ft 6in special order)

Replacement tyre sections available (Note: it is unlikely that you will need a replacement within 10 years!)

Also available as quick release models for loaders

Transport weight approx. 330 - 350kg

Experts perfect them, connoisseurs select them

S & G WOOLDRIDGE Ltd

Precision, General and Agricultural Engineers

Telephone:
(01206) 230488
Facsimile:
(01206) 230989



Rookery Farm
Ardleigh
Colchester
Essex
CO7 7LH

Internet: [http:// www.sgwooldridge.ukonline.co.uk](http://www.sgwooldridge.ukonline.co.uk)

Email: : arwooldridge@genie.co.uk

Grain Bucket

1.7 - 2.55 cu.mt. (60 - 90 cu.ft)
Width 2.5 metres
Other sizes can be made to order.

60cuft holds ca 1.5Mt,* price £795-00
75cuft holds ca 1.75Mt,* price £895-00
90cuft holds ca 2.0Mt,*price £1050-00
Quick-fitting attachment lugs to order,
price £105 per pair.

Prices ex-works Ardleigh,
delivery and VAT not included.

*Capacities based on wheat at 78kg/Hl

6 metre 3.4 metres 4.6 metres



Length	Mast Loader	Telescopic Loader
4 metre	2.3 metres	3.6 metres
5 metre	2.9 metres	4.1 metres

Grain pusher

Widths 1.8 to 2.4 (standard) metres
Lengths Modular from 4 to 6metres.
Special sizes to order.

4 metre (standard), price £1075-00
5 metre, price £1250-00
6 metre special, to order.

Fixing brackets to order, £105 per pair

Prices ex-works Ardleigh, delivery & VAT not included.

Standard 4M pusher with telescopic loader easily pushes grain to 3.6 metres high.

Figures for pusher based on 30° angle of repose.

Table below gives typical loading heights.



S & G WOOLDRIDGE Ltd

Precision, General and Agricultural Engineers

Telephone:
(01206) 230488
Facsimile:
(01206) 230989



Rookery Farm
Ardleigh
Colchester
Essex
CO7 7LH

Internet: [http:// www.sgwooldridge.ukonline.co.uk](http://www.sgwooldridge.ukonline.co.uk)

Email : arwooldridge@o2.co.uk

Safety Working Platform two man

- Safety/Access Platforms made to order to fit most telescopic front loaders or mast loaders.
- Two-man version shown is a comfortable 6ft wide, saves constant repositioning of the loader.
- Kick plate prevents objects falling from platform.
- Essential for complying with ACCS regulations re cleaning grain store walls roofs ceilings etc.
- CE approved.
- Load rating 500kg.

Price ex works: £975 + VAT
Quickfit brackets: £105 per pair fitted



Experts perfect them, connoisseurs select them